

## Data identification

Title	Longterm yearly average of global irradiation at optimum tilt -Kiribati (areas in the eastern hemisphere) - Global Solar Atlas 2.0
Date	2019-10
Date type	Publication
Abstract	Longterm yearly average of global irradiation at optimum tilt (GTI) in kWh/m2, covering the period 2007-2018
Purpose	Assessment of solar resource for PV technologies
Unique resource identifier	8bcda9a7-f53a-53e7-1791-3be04db290f7
Supplemental information	This data layer represents an output from the Solargis global solar model. It has been delivered for the Global Solar Atlas ( <a href="https://globalsolaratlas.info/">https://globalsolaratlas.info/</a> ), online platform funded by the Energy Sector Management Assistance Program (ESMAP), a multi-donor trust fund administered by The World Bank, under a global initiative on Renewable Energy Resource Mapping.
Keywords	Solar resource data, GTI, global irradiation at optimum tilt, Long-term average, Solargis, World Bank, ESMAP, Global Solar Atlas
Legal constraints	Copyright: Solar resource data © 2019 Solargis. The data is published in Global Solar Atlas under a Creative Commons 4.0 Attribution International license, CC BY 4.0 with the following mandatory and binding addition: Any and all disputes arising under this License that cannot be settled amicably shall be submitted to mediation in accordance with the WIPO Mediation Rules 3 in effect at the time the work was published. If the request for mediation is not resolved within forty-five (45) days of the request, either You or the Licensor may, pursuant to a notice of arbitration communicated by reasonable means to the other party refer the dispute to final and binding arbitration to be conducted in accordance with UNCITRAL Arbitration Rules as then in force. The arbitral tribunal shall consist of a sole arbitrator and the language of the proceedings shall be English unless otherwise agreed. The place of arbitration shall be where the Licensor has its headquarters. The arbitral proceedings shall be conducted remotely (e.g., via telephone conference or written submissions) whenever practicable, or held at the World Bank headquarters in Washington DC.

## 1. Point of contact

Organisation name	THE WORLD BANK
Email	energydata@worldbankgroup.org
Website	<a href="http://www.esmap.org/RE_Mapping">www.esmap.org/RE_Mapping</a>
Role	Owner

## 2. Point of contact

Organisation name	Solargis
Email	company@solargis.com
Website	<a href="http://solargis.com">solargis.com</a>
Role	Originator

Topic category	Climatology, meteorology, atmosphere
----------------	--------------------------------------

## Extent

### Geographic bounding box

West bound	169.0
East bound	178.0
South bound	-4.0
North bound	4.0

## Spatial resolution

Units	arc-sec
Distance	9.0

## Lineage

Statement	Global irradiation at optimum tilt is calculated by Solargis algorithms
Description	GTI calculated by Solargis algorithms and data. Main inputs: Global horizontal irradiation (GHI), direct normal irradiation (DNI)

File identifier	86531716-4bb0-a80d-bf96-59478f6485f1
Metadata language	eng
Character set	UTF8

## Metadata author

Organisation name	Solargis
Role	Originator
Date stamp	2019-10-20T01:25:12